

CP-SWK-V21L3

2MP Full HD IR Wi-Fi Kit Vandal Dome Camera

- 1/2.7" 2MP PS CMOS Image Sensor
- H.265+/H.265/ H.264+/H.264 Video Compression
- Max. 2MP@1-15fps
- WDR, Day/Night (ICR), Defog, BLC
- 3.6mm Fixed Lens
- Support Wi-Fi, IP66



System Overview

Understanding the needs of our customers, CP PLUS has launched the EzyFi Series which presents a number of options. Each of these is a mix of EzyKam Cameras, Network Cameras, DVRs, and NVRs. These options have been presented to suit different surveillance requirements of different places.

Functions

Wi-Fi Support

To eliminate the hassle of cables and switches, this camera has been wifi enabled which makes it easier and better to conduct surveillance of any closed space.



CP-SWK-V21L3

2MP Full HD IR Wi-Fi Kit Vandal Dome Camera

Functions

Wide dynamic range (WDR)

When a scene is partly dark and partly bright, that is the dynamic range that distorts images due to this difference in the lighting. WDR technology provides you balanced lighting for a clear and vivid image throughout the day. WDR technology can be installed at entry/exit points of any building structure, jewellery shops, outdoor location among so many other places.

H.265+ & H.264+

Adopting advanced algorithm of auto stream control according to the environment, This smart encoding technology realizes the higher efficiency than (H.265 & H.264), providing high-quality video, and reducing the cost of storage and transmission.

True Day/Night (ICR)

When the scene is too dark, the image is captured by illuminating an infrared light through the camera onto the scene that greatly helps with making the scene visible for the lens. It delivers color images during the day and automatically switches to the monochrome feature as the scene darkens.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-SWK-V21L3

2MP Full HD IR Wi-Fi Kit Vandal Dome Camera

Feature	Specification
Image Sensor	1/2.7" Full HD CMOS Sensor
Resolution	2MP
Effective Pixels	1920(H) x 1080(V)
Compression	H.265+/H.265/H.264+/H.264
TV System	PAL/NTSC
Electronic Shutter Time	Auto: PAL 1/25-1/10000Sec; NTSC 1/25-1/10000Sec
S/N Ratio	≥52dB
Scanning System	Progressive
Video Output	On NVR Display Screen via Wi-Fi
Reset Button	Yes
Lens	3.6mm
Focus Control	Fixed
Lens Type	Fixed
Array LED	14μ x 12Pcs
Infrared Distance	Array Range of 20 Mtr.
IR Status	Auto Control
IR Power On	Auto Control
Built-in Audio	Support
Frame Rate	Main Stream: 1920 x1080@1-15fps(default resolution:1920 x1080/frame rate:15fps/bit rate:1Mbps), Sub Stream: 720 x 480@1-15fps(default frame rate:15fps/bit rate:0.5Mbps)
Wireless Antena	3dbi
Wi-Fi	Wi-Fi(IEEE802.11b/g/n)
Wi-Fi Range	No obstacles 30m Max.
Day/Night	Color/ B&W (IR-CUT)
Image Config	Saturation/Brightness/Contrast /Sharpness, Mirror, White Balance, FLK (Flicker Control)

Feature	Specification
Defog Mode	Yes
BLC	Yes
WDR	Yes
Motion Detection	Support
Privacy Masking	3 Rectangular Zone
Recording Mode	NVR
Anti-cut Bracket	Yes
IR Cut Filter	Yes
Weatherproof	IP66
Casing	Metal
Operation Temperature	-10°C~ +50°C RH95% Max
Storage Temperature	-20°C~ +60°C RH95% Max
Power Source	DC12V±10%, 500mA
Dimension	157(W) x 70(H) x 66(D)mm
Weight	650g

***Note : This Camera will only work with its Wi-Fi Kit NVR.**