

CP-ANW-GPI4F2-46

4 Port Industrial Gigabit PoE+ Switch With 2 Gigabit Fiber Port

- Support IEEE 802.3 10Base-T, IEEE 802.3u 100Base-T, IEEE 802.3ab 1000Base-T, IEEE 802.3z 1000Base-X, IEEE 802.3af/at Ethernet standard
- Optical port: 2 1000Base-X (SFP)
- RJ45 Port: 4 10/100/1000Base-Tx
- Support dual DC power backup, built-in over current protection
- IP40 grade protection, corrugated high strength metal housing
- Power supply support anti-reverse connection



System Overview

As most of the CP PLUS products have been integrated with the Power of Ethernet technology which makes troubleshooting easier in case any errors occur. This can be done with the help of a PoE Switch makes increases reliability rapidly.

Functions

Better Connectivity

This PoE Switch has designed for outstanding power with flexible placement for better and advanced connectivity between network devices.



CP-ANW-GPI4F2-46

4 Port Industrial Gigabit PoE+ Switch With 2 Gigabit Fiber Port

Functions

Switching Performance

This PoE Switch offers the forwarding capacity to simultaneously process traffic on all ports at line rate without any packet loss.

Higher Bandwidth

2 Gigabit Fiber Port for higher bandwidth connections. 250M meters distance power supply with a full load of 60 watts.

6KV Surge Protection

6kv is an internal electrical wiring standard which means that when large currents enter the device, the clamping voltage increases as well, so there will be a large amount of destructive energy getting passed through the 6kv protection. The 6kv surge protection is a feature in this PoE Switch that was designed to protect all the connected electrical devices from voltage spikes.

Easy to Use

This PoE Switch is quite easy to install and use. It requires no configuration and installation. With outstanding performance and quality, this Gigabit PoE Switch is a great selection for expanding your home or workplace network.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-ANW-GPI4F2-46

4 Port Industrial Gigabit PoE+ Switch With 2 Gigabit Fiber Port

Feature	Specification
Network Ports	4 x 10/100/1000Mbps, RJ45 port
Optical port	2 x 1000Base-X (SFP)
Network standard	IEEE 802.3 10Base-T IEEE 802.3u 100Base-T IEEE 802.3ab 1000Base-T IEEE 802.3z 1000Base-X IEEE 802.3af/at
Port Cache	2Mbit
MAC Address List	8K
100 Mbps forwarding speed	148810pps
Gigabit forwarding speed	1488100pps
100M maximum filter speed	148810pps
Gigabit maximum filtration	1488100pps
Transmission method	store and forward
Backplane bandwidth	12Gbps
Switching Delay	<5us
Interface indicator	Link(1~4/F1~F2)
Power indicator	PWR
Power Source	48VDC
Input method	5-pin 3.81mm-spacing plug-in terminal block
No-load power	4W@48VDC
Full load power	60W@48VDC (including PoE output)
Ingress Protection	IP40
MTBF	3,60,000 hrs
Operating Temperature	-40~75°C
Storage Temperature	-40°C~75°C

THINK SECURITY
THINK CP PLUS



Feature	Specification
Humidity	5%~95% (no condensation)
Dimensions	134mm(L) × 30mm(W) × 90mm(H)
Weight	0.5kg



**Product casing and specifications are subject to change without prior notice*