

CP CP-SA-L690-V

IR Illuminator- 60 Meter

- Super power dot-matrix IR LED with strong light effect, long service life and low light decline feature.
- High efficient twice optical lens processing achieves 90% of the luminous efficiency.
- The housing adopts high thermal conductivity aluminium to enhance heat dispersion property.
- Stainless steel bracket and screw ensure low maintenance



System Overview

For providing perfect light in the dark, the CP PLUS IR illuminator is just what you need. Installing the IR illuminator along with your CCTV camera lets you enjoy a vivid image quality. When the scene is too dark, infrared light is illuminated onto the scene while an image is being clicked, adding impressive details to the picture.

Functions

Dot-Matrix IR LED

The super-power dot-matrix IR LED that has been integrated in this illuminator has potent and concentrated light effects and also has the low light decline feature.

THINK SECURITY
THINK CP PLUS

 **CP PLUS**



CP-SA-L690-V

IR Illuminator- 60 Meter

Functions

Increased Efficiency

This IR illuminator comes with high-efficiency twice lens processing that makes up for 90% of the luminous capability that increases the infrared light's effectiveness.

Low-Maintenance Housing

The stainless steel housing for the IR illuminator has been designed with high thermal conductivity aluminium to enhance the heat dispersion property.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



CP-SA-L690-V

IR Illuminator- 60 Meter

Feature	Specification
LED Type	30pcs 2W dot-matrix IR LED
Wavelength	850nm
Beam Angle	90°
Day and night switch	Auto CDR Sensor
IR Distance	60 Mtr.
Input/ Output	Dry Contact
Cable length	1.3 meter
Mounting	Wall mounting "U" bracket
Temperature	-40°C to 60°C
Ingress Protection	IP66
Color	Black
Housing	Aluminum
Panel	High light transmittance toughened glass
Power	DC12V
Power consumption	37W(850nm)
Current	4000mA
Dimension	210mm x 213mm x 115.5mm
Net weight	2.75kg
Gross weight	3.2kg